

09/380994
422 Rec'd PC TO 13 SEP 1999

Express Mail #EL26749669US

#3/Pre Amolt A
A. Chestnut
4-6-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
UNITED STATES DESIGNATED/ELECTED OFFICE

Applicants:

Masaru Takada
Hisashi Minoura
Kiyotaka Tsukada
Hiroyuki Kobayashi
Mitsuhiko Kondo

International Application
PCT/JP98/00960

U.S. Filing Date: Herewith

Int'l Filing Date: March 9, 1998

For: Printed Wiring Board and
Method for Manufacturing
the Same

GAU:

Examiner:

Atty. Docket No. 23128 USA

The Assistant Commissioner
for Patents
Washington, DC 20231

FIRST PRELIMINARY AMENDMENT

Sir:

Prior to calculation of the filing fee and examination on the merits, please amend the above-identified patent application, without prejudice, as follows:

In the Drawings

Please amend the drawings as noted below:

In Figs. 15 and 20, please change element number "230" to --232--, as indicated in red on the attached copies of Figs. 15 and 20.

In Figs. 38 and 41, please change element number "313" to --413--, as indicated in red on the attached copies of Figs. 38 and 41.

In Figs. 42 to 51, please add the legend --Prior Art--, indicated in red on the attached copies of Figs. 42 to 51.

In the Specification

Page 1, line 1, delete "SPECIFICATION".

Page 1, line 3, delete "TECHNICAL FIELD" and insert therefor --Background of the Invention--; and

line 14, delete "BACKGROUND ART";

Page 4, line 2, delete "914" and insert therefor --941--.

Page 7, line 7, delete "DISCLOSURE OF THE INVENTION" and insert therefor --Summary of the Invention--.

Page 7, line 16, delete "," and insert therefor --. The --;

line 16, delete "the";

line 19, delete "," and insert therefor --.

The--; and

line 19, delete "the".

Page 9, line 25, delete "; the" and insert therefor --. The--.

Page 15, line 11, delete "; the method comprising" and insert therefor --. The method comprises--.

Page 28, delete line 18 to page 30, line 7, and insert therefor --Detailed Description of the Invention--.

Page 32, line 18, delete "1" and insert therefor --10--.

Intn'l Appln. No. PCT/JP98/00960

Page 33, line 3, after "mother board 8" insert --(Fig. 1)--.

Page 34, line 18, delete "fourth" and insert therefor --third--; and

line 18, delete "24" and insert therefor --23--.

Page 37, lines 23 and 24, delete "11" and insert therefor --115--.

Page 38, line 16, delete "1185" and insert therefor --118--.

Page 38, line 20, after "wiring board" insert --101--.

Page 39, line 6, delete "11" and insert therefor --115--; and

line 27, delete "consisting of" and insert therefor --comprising--.

Page 40, line 18, delete "11" and insert therefor --118--.

Page 41, line 26, after "holes" insert --210, 220, 230--.

Page 42, line 19, after "board" insert --209--.

Page 43, line 3, delete "51" insert --12--.

Page 43, line 20, delete "230" and insert therefor --232--; and

line 28, after "substrate" insert --201--.

Page 44, lines 16 and 17, delete "230" and insert therefor --232--; and

line 24, after "substrate" insert --201--.

Page 46, line 2, delete "covered" insert --filled--;

Intn'l Appln. No. PCT/JP98/00960

line 14, delete ", so that" and insert therefor
--.--; and delete line 15;

line 25, delete "31" and insert therefor
--231--; and

line 26, delete "33" and insert therefor
--233--.

Page 47, line 5, delete "fourth" and insert therefor
--fifth--; and

line 27, delete "305" and insert therefor
--355--.

Page 48, line 10, after "wiring board" insert --305--.

Page 50, line 2, after "substrate" insert --307--; and

line 15, delete "305" and insert therefor
--355--.

Page 51, line 4, delete "305" and insert therefor
--355--;

line 5, after "resist" insert --306--; and
line 13, delete "305" and insert therefor
--355--.

Page 53, line 4, before "the opening", insert --at least
a portion of--.

Page 57, line 9, delete "313" and insert therefor
--413--.

Page 58, lines 6 and 9, delete "313" and insert therefor
--413--.

Page 60, lines 18 and 24, delete "313" and insert
therefor --413--; and

Intr'n'l Appln. No. PCT/JP98/00960

line 26, delete "325" and insert therefor

--302--.

Page 61, lines 3 and 5, delete "313" and insert therefor

--413--.

In the Claims

Please amend claims 3, 11, 15 and 18, as follows:

3. (Amended) A method of manufacturing a printed wiring board having an odd number n of conductive layers which are built up via insulating layers respectively and are electrically connected to one another via interconnecting through holes, the method comprising the steps of:

interposing insulating layers between the second to n -th conductive layers respectively and also forming first interconnecting through holes for electrically connecting the conductive layers to one another;

laminating a first prepreg and a copper foil on a surface of the second conductive layer, [while laminating] and press-bonding a second prepreg on a surface of the n -th conductive layer to form a multilayer substrate having an odd number n of insulating layers, wherein [and also locating] the second n -th conductive layers [as] are internal layers of the multilayer substrate;

etching the copper foil to form a first conductive layer;

forming a second interconnecting through holes in the first insulating layer and forming connecting holes in the n-th insulating layer respectively;

forming a metal plating film for electrically connecting the first conductive layer with the second conductive layer on the walls of the second interconnecting through holes of the first insulating layer; and

connecting external connecting terminals to the surface of the n-th conductive layer exposed through the [interconnecting through] connecting holes of the n-th insulating layer.

11. (Amended) A printed wiring board comprising:
an insulating substrate having at lease one
interconnecting through hole penetrating [an] the insulating substrate [,] ;

a covering pad covering [one] a first opening of the interconnecting through hole [, and];


a conductor circuit provided along a peripheral edge of [the other] a second opening, opposite the first opening, which remains open;

[wherein] a metal plating film electrically
connecting the covering pad and the conductor circuit, the
metal plating [are electrically connected to each other via a metal plating film] covering a wall of the interconnecting through hole; and

Intn'l Appln. No. PCT/JP98/00960

added by the amendment. Consideration and allowance of the application as amended, are respectfully requested.

Respectfully submitted,



Mark D. Simpson
Registration No. 32,942

Synnestvedt & Lechner LLP
2600 Aramark Tower
1101 Market Street
Philadelphia, PA 19107

Telephone: 215-923-4466
Facsimile: 215-923-2189

MDS/DMA/mv
Enclosures